





TRIKE MANUAL

MANUAL TRIKE





7°



8°



9°



10°



11°



12°






13°



14°




15°



17°




18°





16°









TK002/14

TK002/16

- (A)** STANDAR WHEEL **4.80 / 4.00 - 8**. 3,00 Kg.
- (B)** WIDE WHEEL **16X 6,50 - 8**. 3,60 Kg.
- (C)** NARROW WHEEL **300 X 8**. 1,05 Kg.



MANUAL TRIKE



5 POSITIONS

5

4

3

2

1

MANUAL TRIKE



20 mm

200 mm

45 mm

Tornillos para ajustar
la posición del chasis.

Vis pour régler la
position du châssis.

Screw for adjusting the
position of the chassis.

TRIKE TANDEM KIT




MANUAL TRIKE





① Poid pilote +/- 80 kg. + Poid Passager <70 kg. Poid pilote +/- 65 kg. + Poid Passager >70 kg.	Pilot weight +/- 80 kg. + Passenger weight <70 kg. Pilot weight +/- 65 kg. + Passenger weight >70 kg.	Peso piloto +/- 80 kg. + Peso pasajero <70 kg. Peso piloto +/- 65 kg. + Peso pasajero >70 kg.
② Poid pilote +/- 65 kg. + Poid Passager <70 kg.	Pilot weight +/- 65 kg. + Passenger weight <70 kg.	Peso piloto +/- 65 kg. + Peso pasajero <70 kg.
③ Poid pilote +/- 80 kg. + Poid Passager >70 kg.	Pilot weight +/- 80 kg. + Passenger weight >70 kg.	Peso piloto +/- 80 kg. + Peso pasajero >70 kg.
④ Ancrage Parachute Tandem	Attachment Tandem Parachute	Anclaje Paracaidas
⑤ Poid pilote >90 kg. + Poid Passager >80 kg.	Pilot weight >90 kg. + Passenger weight >80 kg.	Peso piloto >90 kg. + Peso pasajero >80 kg.





ATTENTION

